

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Attention: Araceli Ramirez

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - California Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	1.0 TON	3
pH (Units)	4500HB/E 150	0.10	1	7.8	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	330	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	180	500
Turbidity (NTU)	EPA 180.1	0.10	1	ND NTU	5
GROUP II					
CHEMICAL SUBSTANCE 1					
Milligrams per Liter					
Alkalinity in CaCO3 units	SM 2320B	2.0	1	130	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	0.0053	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	160	no std
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	32	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	17	250
Chromium	EPA 200.8	0.0010	1	ND	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	0.040	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.1
Fluoride	SM 4500F-C	0.050	1	0.18	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std
Iron	EPA 200.7	0.010	1	ND	0.3

SOQ=Standard of Quality per FDA or California

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 1002348

Report Date: 08/27/2022
 Date Received: 05/09/2022
 Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	13	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 200.8	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.050	1	0.36	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	1	ND	0.001
Potassium	EPA 200.7	1.0	1	1.8	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	19	no std
Sulfate	EPA 300.0	0.50	1	5.4	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO3	EPA 200.7	3.0	1	130	no std
Total Nitrate + Nitrite	EPA 300.0	0.050	1	0.36	10
Zinc	EPA 200.8	0.020	1	ND	5.0
GROUP III					
CHEMICAL SUBSTANCE 2 (VOC)		Milligrams per Liter			
1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	NA	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	NA	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	NA	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	NA	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	NA	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	NA	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	NA	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	NA	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	NA	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	NA	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	NA	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	NA	0.005
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	NA	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	NA	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	NA	no std
Benzene	EPA 524.2	0.00050	1	NA	0.005

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 1002348

Report Date: 08/27/2022
 Date Received: 05/09/2022
 Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Bromobenzene	EPA 524.2	0.00050	1	NA	no std
Bromochloromethane	EPA 524.2	0.00050	1	NA	no std
Bromodichloromethane	EPA 524.2	0.00050	1	NA	no std
Bromoform	EPA 524.2	0.00050	1	NA	no std
Bromomethane	EPA 524.2	0.00050	1	NA	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	NA	0.005
Chlorobenzene	EPA 524.2	0.00050	1	NA	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	NA	no std
Chloroethane	EPA 524.2	0.00050	1	NA	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	NA	no std
Chloromethane	EPA 524.2	0.00050	1	NA	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	NA	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
Dibromomethane	EPA 524.2	0.00050	1	NA	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	NA	no std
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	1	NA	0.005
Ethyl benzene	EPA 524.2	0.00050	1	NA	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	NA	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	NA	no std
Isopropylbenzene	EPA 524.2	0.00050	1	NA	no std
m,p-Xylenes	EPA 524.2	0.00050	1	NA	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	NA	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.00050	1	NA	no std
MTBE	EPA 524.2	0.00050	1	NA	no std
n-Butylbenzene	EPA 524.2	0.00050	1	NA	no std
n-Propylbenzene	EPA 524.2	0.00050	1	NA	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	NA	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	NA	0.6
o-Xylene	EPA 524.2	0.00050	1	NA	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	NA	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	NA	0.075
p-Isopropyltoluene	EPA 524.2	0.00050	1	NA	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	NA	no std
Styrene	EPA 524.2	0.00050	1	NA	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	NA	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	NA	0.005
Toluene	EPA 524.2	0.00050	1	NA	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	NA	no std

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 1002348

Report Date: 08/27/2022
 Date Received: 05/09/2022
 Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Total THM	EPA 524.2	0.00050	1	NA	0.010
Total xylenes	EPA 524.2	0.00050	1	NA	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	NA	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	NA	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	NA	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	NA	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter			
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	1	ND	0.0002
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 1002348

Report Date: 08/27/2022
 Date Received: 05/09/2022
 Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	1	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003
GROUP V					
RADIOACTIVITY					
		Picocuries per Liter			
Gross Alpha	EPA 900.0	1.5	1	1.8	15
Gross Beta	EPA 900.0	1.4	1	1.9	50
Radium 226	Ra-226 GA	1.0	1	ND	5
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	0.0033	0.03
GROUP VIb					
BACTERIOLOGICAL-HPC					
		Colony Forming Units per mL			
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts					
		Milligrams per Liter			
Bromate	EPA 317	0.0010	1	ND	0.01
Bromide	EPA 300.0	0.0050	1	0.058	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_CA
 Report: 1002348

Report Date: 08/27/2022
 Date Received: 05/09/2022
 Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP VIII					
Residual Disinfectants		Milligrams per Liter			
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or California
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Chameleon Beverage Company
Chameleon Beverage Company
6444 E 26TH ST

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Attention: Araceli Ramirez

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Investigation: Analysis per Title 21, Federal Code of Regulations 165.110 - New York Limits

ANALYTICAL RESULTS

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
GROUP I					
PHYSICAL					
Apparent Color (ACU)	SM 2120B	3.0	1	ND ACU	15
Odor at 60 C (TON)	SM 2150B	1.0	1	1.0 TON	3
pH (Units)	4500HB/E 150	0.10	1	7.8	8.5
Specific Conductance (uS/cm)	SM2510B	2.0	1	330	no std
Total Dissolved Solid (TDS)	SM 2540C	10	1	180	500
Turbidity (NTU)	EPA 180.1	0.10	1	ND NTU	5
GROUP II					
CHEMICAL SUBSTANCE 1					
		Milligrams per Liter			
Alkalinity in CaCO3 units	SM 2320B	2.0	1	130	no std
Aluminum	EPA 200.8	0.020	1	ND	0.2
Antimony	EPA 200.8	0.0010	1	ND	0.006
Arsenic	EPA 200.8	0.0010	1	ND	0.010
Asbestos by TEM - >10 microns (MFL)	EPA 100.2	0.20	1	ND	no std
Barium	EPA 200.8	0.0020	1	0.0053	2
Beryllium	EPA 200.8	0.0010	1	ND	0.004
Bicarb Alkalinity as HCO3	SM2330B	2.0	1	160	no std
Cadmium	EPA 200.8	0.00050	1	ND	0.005
Calcium	EPA 200.7	1.0	1	32	no std
Carbonate as CO3	SM2330B	2.0	1	ND	no std
Chloride	EPA 300.0	0.50	1	17	250
Chromium	EPA 200.8	0.0010	1	ND	0.1
Copper	EPA 200.8	0.0020	1	ND	1.0
Corrosivity (units)	SM 2330B	-14	1	0.040	no std
Cyanide	SM 4500CN-F	0.025	1	ND	0.1
Fluoride	SM 4500F-C	0.050	1	0.18	1.4
Hydroxide as OH	SM2330B	2.0	1	ND	no std

SOQ=Standard of Quality per FDA or New York
ND=Not detected at the specified limit
All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 1002348

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Iron	EPA 200.7	0.010	1	ND	0.3
Lead	EPA 200.8	0.00050	1	ND	0.005
Magnesium	EPA 200.7	0.10	1	13	no std
Manganese	EPA 200.8	0.0020	1	ND	0.05
Mercury	EPA 200.8	0.00020	1	ND	0.002
Nickel	EPA 200.8	0.0050	1	ND	0.1
Nitrate-N	EPA 300.0	0.050	1	0.36	10
Nitrite-N	EPA 300.0	0.050	1	ND	1
Perchlorate	EPA 331.0	0.00050	1	ND	no std
Phenol	EPA 420.4	0.0010	1	ND	0.001
Potassium	EPA 200.7	1.0	1	1.8	no std
Selenium	EPA 200.8	0.0050	1	ND	0.05
Silver	EPA 200.8	0.00050	1	ND	0.1
Sodium	EPA 200.7	1.0	1	19	no std
Sulfate	EPA 300.0	0.50	1	5.4	250
Surfactants (MBAS)	SM 5540C	0.10	1	ND	no std
Thallium	EPA 200.8	0.0010	1	ND	0.002
Total Hardness as CaCO3	EPA 200.7	3.0	1	130	no std
Total Nitrate + Nitrite	EPA 300.0	0.050	1	0.36	10
Zinc	EPA 200.8	0.020	1	ND	5.0

GROUP III

CHEMICAL SUBSTANCE 2 (VOC)

Milligrams per Liter

1,1,1,2-Tetrachloroethane	EPA 524.2	0.00050	1	NA	no std
1,1,1-Trichloroethane	EPA 524.2	0.00050	1	NA	0.20
1,1,2,2-Tetrachloroethane	EPA 524.2	0.00050	1	NA	no std
1,1,2-Trichloroethane	EPA 524.2	0.00050	1	NA	0.005
1,1-Dichloroethane	EPA 524.2	0.00050	1	NA	no std
1,1-Dichloroethene	EPA 524.2	0.00050	1	NA	0.007
1,1-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
1,2,3-Trichlorobenzene	EPA 524.2	0.00050	1	NA	no std
1,2,3-Trichloropropane	EPA 524.2	0.00050	1	NA	no std
1,2,4-Trichlorobenzene	EPA 524.2	0.00050	1	NA	0.07
1,2,4-Trimethylbenzene	EPA 524.2	0.00050	1	NA	no std
1,2-Dichloroethane	EPA 524.2	0.00050	1	NA	0.005
1,2-Dichloropropane	EPA 524.2	0.00050	1	NA	0.005

SOQ=Standard of Quality per FDA or New York

ND=Not detected at the specified limit

All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 1002348

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
1,3,5-Trimethylbenzene	EPA 524.2	0.00050	1	NA	no std
1,3-Dichloropropane	EPA 524.2	0.00050	1	NA	no std
2,2-Dichloropropane	EPA 524.2	0.00050	1	NA	no std
Benzene	EPA 524.2	0.00050	1	NA	0.005
Bromobenzene	EPA 524.2	0.00050	1	NA	no std
Bromochloromethane	EPA 524.2	0.00050	1	NA	no std
Bromodichloromethane	EPA 524.2	0.00050	1	NA	no std
Bromoform	EPA 524.2	0.00050	1	NA	no std
Bromomethane	EPA 524.2	0.00050	1	NA	no std
Carbon Tetrachloride	EPA 524.2	0.00050	1	NA	0.005
Chlorobenzene	EPA 524.2	0.00050	1	NA	0.1
Chlorodibromomethane	EPA 524.2	0.00050	1	NA	no std
Chloroethane	EPA 524.2	0.00050	1	NA	no std
Chloroform (Trichloromethane)	EPA 524.2	0.00050	1	NA	no std
Chloromethane	EPA 524.2	0.00050	1	NA	no std
cis-1,2-Dichloroethylene	EPA 524.2	0.00050	1	NA	0.07
cis-1,3-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
Dibromomethane	EPA 524.2	0.00050	1	NA	no std
Dichlorodifluoromethane	EPA 524.2	0.00050	1	NA	no std
Dichloromethane (MeCl ₂)	EPA 524.2	0.00050	1	NA	0.005
Ethyl benzene	EPA 524.2	0.00050	1	NA	0.7
Fluorotrichloromethane-Freon11	EPA 524.2	0.00050	1	NA	no std
Hexachlorobutadiene	EPA 524.2	0.00050	1	NA	no std
Isopropylbenzene	EPA 524.2	0.00050	1	NA	no std
m,p-Xylenes	EPA 524.2	0.00050	1	NA	no std
m-Dichlorobenzene (1,3-DCB)	EPA 524.2	0.00050	1	NA	no std
Methyl ethyl ketone (MEK, Butanone)	EPA 524.2	0.0050	1	NA	no std
MTBE	EPA 524.2	0.00050	1	NA	no std
n-Butylbenzene	EPA 524.2	0.00050	1	NA	no std
n-Propylbenzene	EPA 524.2	0.00050	1	NA	no std
o-Chlorotoluene	EPA 524.2	0.00050	1	NA	no std
o-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.00050	1	NA	0.6
o-Xylene	EPA 524.2	0.00050	1	NA	no std
p-Chlorotoluene	EPA 524.2	0.00050	1	NA	no std
p-Dichlorobenzene (1,4-DCB)	EPA 524.2	0.00050	1	NA	0.075

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 1002348

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
p-Isopropyltoluene	EPA 524.2	0.00050	1	NA	no std
sec-Butylbenzene	EPA 524.2	0.00050	1	NA	no std
Styrene	EPA 524.2	0.00050	1	NA	0.1
tert-Butylbenzene	EPA 524.2	0.00050	1	NA	no std
Tetrachloroethylene (PCE)	EPA 524.2	0.00050	1	NA	0.005
Toluene	EPA 524.2	0.00050	1	NA	1
Total 1,3-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
Total THM	EPA 524.2	0.00050	1	NA	0.080
Total xylenes	EPA 524.2	0.00050	1	NA	10
trans-1,2-Dichloroethylene	EPA 524.2	0.00050	1	NA	0.1
trans-1,3-Dichloropropene	EPA 524.2	0.00050	1	NA	no std
Trichloroethylene (TCE)	EPA 524.2	0.00050	1	NA	0.005
Trichlorotrifluoroethane(F113)	EPA 524.2	0.00050	1	NA	no std
Vinyl chloride (VC)	EPA 524.2	0.00030	1	NA	0.002
GROUP IV					
CHEMICAL SUBSTANCE 3 (NON VOC)		Milligrams per Liter			
1,2,3-Trichloropropane (TCP)	EPA 504.1	0.000020	1	ND	no std
2,3,7,8-TCDD (ug/L)	EPA 1613B	0.0000000050	1	ND	0.00000003
2,4,5-TP (Silvex)	EPA 515.4	0.00020	1	ND	0.05
2,4-D	EPA 515.4	0.00010	1	ND	0.07
3-Hydroxycarbofuran	EPA 531.2	0.00050	1	ND	no std
Alachlor (Alanex)	EPA 505	0.00010	1	ND	0.002
Aldicarb (Temik)	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfone	EPA 531.2	0.00050	1	ND	no std
Aldicarb sulfoxide	EPA 531.2	0.00050	1	ND	no std
Aldrin	EPA 505	0.000010	1	ND	no std
Atrazine	EPA 525.2	0.000050	1	ND	0.003
Baygon	EPA 531.2	0.00050	1	ND	no std
Bentazon	EPA 515.4	0.00050	1	ND	no std
Benzo(a)pyrene	EPA 525.2	0.000020	1	ND	0.0002
Butachlor	EPA 525.2	0.000050	1	ND	no std
Carbaryl	EPA 531.2	0.00050	1	ND	no std
Carbofuran	EPA 531.2	0.00050	1	ND	0.04
Chlordane	EPA 505	0.00010	1	ND	0.002
Dalapon	EPA 515.4	0.0010	1	ND	0.2

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 1002348

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.00060	1	ND	0.4
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.00060	1	ND	0.006
Dibromochloropropane (DBCP)	EPA 551.1	0.000010	1	ND	0.0002
Dibromochloropropane (DBCP)	EPA 504.1	0.000010	1	ND	0.0002
Dicamba	EPA 515.4	0.00010	1	ND	no std
Dieldrin	EPA 505	0.000010	1	ND	no std
Dinoseb	EPA 515.4	0.00020	1	ND	0.007
Diquat	EPA 549.2	0.00040	1	ND	0.02
Endothall	EPA 548.1	0.0050	1	ND	0.1
Endrin	EPA 505	0.000010	1	ND	0.002
Ethylene Dibromide (EDB)	EPA 551.1	0.000010	1	ND	0.00005
Ethylene Dibromide (EDB)	EPA 504.1	0.000010	1	ND	0.00005
Glyphosate	EPA 547	0.0060	1	ND	0.7
Heptachlor	EPA 505	0.000010	1	ND	0.0004
Heptachlor Epoxide	EPA 505	0.000010	1	ND	0.0002
Hexachlorobenzene	EPA 525.2	0.000050	1	ND	0.001
Hexachlorocyclopentadiene	EPA 525.2	0.000050	1	ND	0.05
Lindane (gamma-BHC)	EPA 505	0.000010	1	ND	0.0002
Methiocarb	EPA 531.2	0.00050	1	ND	no std
Methomyl	EPA 531.2	0.00050	1	ND	no std
Methoxychlor	EPA 505	0.000050	1	ND	0.04
Metolachlor	EPA 525.2	0.000050	1	ND	no std
Metribuzin	EPA 525.2	0.000050	1	ND	no std
Oxamyl (Vydate)	EPA 531.2	0.00050	1	ND	0.2
Paraquat	EPA 549.2	0.0020	1	ND	no std
Pentachlorophenol	EPA 515.4	0.000040	1	ND	0.001
Picloram	EPA 515.4	0.00010	1	ND	0.5
Propachlor	EPA 525.2	0.000050	1	ND	no std
Simazine	EPA 525.2	0.000050	1	ND	0.004
Thiobencarb	EPA 525.2	0.00020	1	ND	no std
Total PCBs	EPA 505	0.00010	1	ND	0.0005
Toxaphene	EPA 505	0.00050	1	ND	0.003

**GROUP V
 RADIOACTIVITY**

Picocuries per Liter

Gross Alpha	EPA 900.0	1.5	1	1.8	15
-------------	-----------	-----	---	-----	----

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted

750 Royal Oaks Drive, Suite 100
 Monrovia, California 91016-3629
 Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Laboratory FDA_NY
 Report: 1002348

Sample Id: Product CBC 22 126 1220 EXP MAY 06 24 Spring Water 700mL
Date Sampled: 5/9/2022

Report Date: 08/27/2022
Date Received: 05/09/2022
Sample No: 202205090063

Parameter	Method	Reporting Limit	Dilution	Result	SOQ
Gross Beta	EPA 900.0	1.4	1	1.9	50
Radium 226	Ra-226 GA	1.0	1	ND	5
Radium 228	Ra-228 GA	1.0	1	ND	5
Uranium (mg/L)	EPA 200.8	0.0010	1	0.0033	0.03
GROUP VIb					
BACTERIOLOGICAL-HPC					
Colony Forming Units per mL					
Heterotrophic Plate Count	SM 9215B	1.0	1	<1	no std
GROUP VII					
Disinfection Byproducts					
Milligrams per Liter					
Bromate	EPA 317	0.0010	1	ND	0.01
Bromide	EPA 300.0	0.0050	1	0.058	no std
Chlorite	EPA 300.0	0.010	1	ND	1
D/DBP Haloacetic Acids (HAA5)	SM 6251B	0.0020	1	ND	0.06
GROUP VIII					
Residual Disinfectants					
Milligrams per Liter					
Chloramines	SM 4500CL-G/HACH	0.10	1	ND	4
Chlorine Dioxide	SM 4500CLO2-D/HACH	0.24	1	ND	0.8
Total Chlorine Residual	SM 4500CL-G/HACH	0.10	1	ND	4

SOQ=Standard of Quality per FDA or New York
 ND=Not detected at the specified limit
 All results reported in milligrams per liter unless otherwise noted